

DEWE


DIAMOND DENTAL BURS




Product Catalogue

SHARP | SMOOTH | LONG-LASTING

TABLE OF CONTENTS

DRAWING	SHAPE	ISO#	PAGE NUMBER
	ROUND	001	3
	ROUND with Collar	002	3
	INVERTED CONE Short Head	010	4
	INVERTED CONE with Collar	019	4
	DIABLO	032	5
	BUD , Pointed	033	5
	BARREL	039	6
	WHEEL	041	6
	WHEEL Rounded Rim	067, 068	7
	CYLINDER Flat End	109, 111	7
	CYLINDER Beveled	129, 130, 131	8
	CYLINDER Round End	139, 141	8
	CYLINDER Convex End	146	9
	CYLINDER End Cutting	150	9
	CYLINDER Round Edge	156, 158	10
	CONE , Pointed	165, 167	10
	TAPER , Flat End	170, 172	11
	TAPER , Round End	196, 198	11
	INVERTED CONE	225, 226	12

Sharp. Smooth. Long-lasting.

DRAWING	SHAPE	ISO#	PAGE NUMBER
	PEAR	237, 238	12
	FLAME	247, 249	13
	BUD	257	13
	BUD, Slender	263	14
	EGG	277	14
	TORPEDO	288, 289, 290	15
	GINGIVAL CURETTAGE	297, 298, 299	15
	LENTICULAR	304	16
	INTERPROXIMAL	465	16
	POINTED FLAME	496	17
	CYLINDER, Guide Pin	508C	17
	TAPER, Guide Pin	508T	18
	CYLINDER, Gross Reduction	513	18
	TAPER, Gross Reduction	519	19
	FLAME NEEDLE, Short Head	539	19
	TAPER, Round Edge	544, 545, 546	20
	DEPTH MARKER	552	20
	ENDO ACCESS Pointed Cone with Rounded Tip	E164	21
	ENDO ACCESS Safe End	E165	21

Sharp. Smooth. Long-lasting.

ROUND					
Shape ISO#		001	001	001	
					
Head Diameter (1/10mm)		012	016	023	
Head Length (mm)		1.2	1.6	2.3	
Overall Length (mm)		19.0	19.0	19.0	
Grit Size	Super-fine	SF			001-023 SF
	Fine	F			001-023 F
	Medium	M	001-012 M	001-016 M	001-023 M
	Coarse	C	001-012 C	001-016 C	001-023 C
	Super-coarse	SC			

ROUND with Collar					
Shape ISO#		002	002	002	
					
Head Diameter (1/10mm)		012	016	023	
Head Length (mm)		2.4	2.4	3.2	
Overall Length (mm)		19.0	19.0	19.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	002-012 M	002-016 M	002-023 M
	Coarse	C	002-012 C	002-016 C	002-023 C
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

INVERTED CONE Short Head					
Shape ISO#		010	010	010	
					
Head Diameter (1/10mm)		012	016	021	
Head Length (mm)		1.0	1.4	1.9	
Overall Length (mm)		19.0	19.0	19.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	010-012 M	010-016 M	010-021 M
	Coarse	C	010-012 C	010-016 C	010-021 C
	Super-coarse	SC			



INVERTED CONE with Collar					
Shape ISO#		019	019	019	
					
Head Diameter (1/10mm)		012	016	021	
Head Length (mm)		3.0	3.0	4.0	
Overall Length (mm)		19.0	19.0	19.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	019-012 M	019-016 M	019-021 M
	Coarse	C	019-012 C	019-016 C	019-021 C
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

DIABLO				
Shape ISO#		032	032	032
				
Head Diameter (1/10mm)		012	016	020
Head Length (mm)		1.2	1.8	2.5
Overall Length (mm)		19.0	19.0	19.0
Grit Size	Super-fine	SF		
	Fine	F		
	Medium	M	032-012 M	032-016 M 032-020 M
	Coarse	C	032-012 C	032-016 C 032-020 C
	Super-coarse	SC		



BUD, Pointed		
Shape ISO#		033
		
Head Diameter (1/10mm)		027
Head Length (mm)		7.0
Overall Length (mm)		21.0
Grit Size	Super-fine	SF
	Fine	F 033-027 F
	Medium	M 033-027 M
	Coarse	C
	Super-coarse	SC

Sharp. Smooth. Long-lasting.

BARREL				
Shape ISO#			039	039
				
Head Diameter (1/10mm)			037	047
Head Length (mm)			7.0	7.0
Overall Length (mm)			21.0	21.0
Grit Size	Super-fine	SF		
	Fine	F		
	Medium	M	039-037 M	039-047 M
	Coarse	C	039-037 C	039-047 C
	Super-coarse	SC		

WHEEL					
Shape ISO#		041	041	041	
   					
Head Diameter (1/10mm)		016	027	040	
Head Length (mm)		0.7	1.0	1.5	
Overall Length (mm)		19.0	19.0	19.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	041-016 M	041-027 M	041-040 M
	Coarse	C	041-016 C	041-027 C	041-040 C
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

WHEEL Rounded Rim					
Shape ISO#			067	067	068
					
Head Diameter (1/10mm)			040	048	054
Head Length (mm)			1.5	1.8	2.4
Overall Length (mm)			16.5	16.5	19.0
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	067-040 M	067-048 M	068-054 M
	Coarse	C	067-040 C	067-048 C	068-054 C
	Super-coarse	SC			

CYLINDER Flat End						
Shape ISO#			109	109	111	111
						
Head Diameter (1/10mm)			012	018	012	018
Head Length (mm)			4.0	4.0	8.0	8.0
Overall Length (mm)			19.0	19.0	22.0	22.0
Grit Size	Super-fine	SF				
	Fine	F				
	Medium	M	109-012 M	109-018 M	111-012 M	111-018 M
	Coarse	C	109-012 C	109-018 C	111-012 C	111-018 C
	Super-coarse	SC				

Sharp. Smooth. Long-lasting.

CYLINDER Beveled					
Shape ISO#		129	130	131	
					
Head Diameter (1/10mm)		012	012	012	
Head Length (mm)		6.0	8.0	10.0	
Overall Length (mm)		20.0	22.0	23.0	
Grit Size	Super-fine	SF			
	Fine	F	129-012 F	130-012 F	131-012 F
	Medium	M	129-012 M	130-012 M	131-012 M
	Coarse	C	129-012 C	130-012 C	131-012 C
	Super-coarse	SC			

CYLINDER Round End					
Shape ISO#		139	139	141	141
					
Head Diameter (1/10mm)		010	014	012	018
Head Length (mm)		4.0	4.0	8.0	8.0
Overall Length (mm)		19.0	19.0	22.0	22.0
Grit Size	Super-fine	SF			
	Fine	F	139-010 F	139-014 F	141-012 F
	Medium	M	139-010 M	139-014 M	141-012 M
	Coarse	C	139-010 C	139-014 C	141-012 C
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

CYLINDER Convex End				
Shape ISO#			146	146
				
Head Diameter (1/10mm)			012	016
Head Length (mm)			7.0	8.0
Overall Length (mm)			21.0	22.0
Grit Size	Super-fine	SF		
	Fine	F		
	Medium	M	146-012 M	146-016 M
	Coarse	C	146-012 C	146-016 C
	Super-coarse	SC		

CYLINDER End Cutting			
Shape ISO#		150	
			
Head Diameter (1/10mm)		014	
Head Length (mm)		0.2	
Overall Length (mm)		19.0	
Grit Size	Super-fine	SF	
	Fine	F	
	Medium	M	150-014 M
	Coarse	C	
	Super-coarse	SC	

Sharp. Smooth. Long-lasting.

CYLINDER Round Edge				
Shape ISO#		156	158	
				
Head Diameter (1/10mm)		012	014	
Head Length (mm)		4.0	8.0	
Overall Length (mm)		19.0	22.0	
Grit Size	Super-fine	SF		
	Fine	F		158-014 F
	Medium	M	156-012 M	158-014 M
	Coarse	C	156-012 C	158-014 C
	Super-coarse	SC		

CONE, Pointed						
Shape ISO#		165	165	167	167	
						
Head Diameter (1/10mm)		012	016	012	018	
Head Length (mm)		8.0	8.0	11.0	11.0	
Overall Length (mm)		22.0	22.0	25.0	25.0	
Grit Size	Super-fine	SF	165-012 SF	165-016 SF	167-012 SF	167-018 SF
	Fine	F	165-012 F	165-016 F	167-012 F	167-018 F
	Medium	M	165-012 M	165-016 M	167-012 M	167-018 M
	Coarse	C				
	Super-coarse	SC				

Sharp. Smooth. Long-lasting.

TAPER, Flat End					
Shape ISO#		170	170	172	172
					
Head Diameter (1/10mm)		012	016	012	018
Head Length (mm)		4.0	4.0	8.0	8.0
Overall Length (mm)		19.0	19.0	22.0	22.0
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	170-012 M	170-016 M	172-012 M
	Coarse	C	170-012 C	170-016 C	172-012 C
	Super-coarse	SC			

TAPER, Round End					
Shape ISO#		196	196	198	198
					
Head Diameter (1/10mm)		012	021	012	021
Head Length (mm)		4.0	4.0	8.0	8.0
Overall Length (mm)		19.0	19.0	22.0	22.0
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	196-012 M	196-021 M	198-012 M
	Coarse	C	196-012 C	196-021 C	198-012 C
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

INVERTED CONE				
Shape ISO#		225	226	
				
Head Diameter (1/10mm)		016	018	
Head Length (mm)		4.0	7.0	
Overall Length (mm)		19.0	21.0	
Grit Size	Super-fine	SF		
	Fine	F		
	Medium	M	225-016 M	226-018 M
	Coarse	C	225-016 C	226-018 C
	Super-coarse	SC		

PEAR						
Shape ISO#			237	237	238	238
						
Head Diameter (1/10mm)			012	018	014	021
Head Length (mm)			3.0	3.0	5.0	5.0
Overall Length (mm)			19.0	19.0	19.0	19.0
Grit Size	Super-fine	SF				
	Fine	F				
	Medium	M	237-012 M	237-018 M	238-014 M	238-021 M
	Coarse	C	237-012 C	237-018 C	238-014 C	238-021 C
	Super-coarse	SC				

Sharp. Smooth. Long-lasting.

FLAME						
Shape ISO#		247		249		249
						
Head Diameter (1/10mm)		010		014		016
Head Length (mm)		4.0		4.0		8.0
Overall Length (mm)		19.0		19.0		22.0
Grit Size	Super-fine	SF	247-010 SF	247-014 SF	249-010 SF	249-016 SF
	Fine	F	247-010 F	247-014 F	249-010 F	249-016 F
	Medium	M	247-010 M	247-014 M	249-010 M	249-016 M
	Coarse	C				
	Super-coarse	SC				

BUD				
Shape ISO#		257		257
				
Head Diameter (1/10mm)		017		023
Head Length (mm)		5.0		5.0
Overall Length (mm)		19.0		19.0
Grit Size	Super-fine	SF	257-017 SF	257-023 SF
	Fine	F	257-017 F	257-023 F
	Medium	M	257-017 M	257-023 M
	Coarse	C		
	Super-coarse	SC		

Sharp. Smooth. Long-lasting.

BUD, Slender			
Shape ISO#		263	
			
Head Diameter (1/10mm)		025	
Head Length (mm)		5.5	
Overall Length (mm)		20.0	
Grit Size	Super-fine	SF	
	Fine	F	
	Medium	M	263-025 M
	Coarse	C	263-025 C
	Super-coarse	SC	

EGG						
Shape ISO#			277	277	277	
						
Head Diameter (1/10mm)			014	018	023	
Head Length (mm)			3.0	3.5	4.5	
Overall Length (mm)			19.0	19.0	19.0	
Grit Size	Super-fine	SF	277-014 SF	277-018 SF	277-023 SF	
	Fine	F	277-014 F	277-018 F	277-023 F	
	Medium	M	277-014 M	277-018 M	277-023 M	
	Coarse	C				
	Super-coarse	SC				

Sharp. Smooth. Long-lasting.

TORPEDO					
Shape ISO#		288	289	290	
					
Head Diameter (1/10mm)		012	014	014	
Head Length (mm)		6.0	8.0	10.0	
Overall Length (mm)		20.0	22.0	23.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	288-012 M	289-014 M	290-014 M
	Coarse	C	288-012 C	289-014 C	290-014 C
	Super-coarse	SC			

GINGIVAL CURETTAGE					
Shape ISO#		297	298	299	
					
Head Diameter (1/10mm)		014	017	020	
Head Length (mm)		6.0	8.0	10.0	
Overall Length (mm)		20.0	22.0	23.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	297-014 M	298-017 M	299-020 M
	Coarse	C	297-014 C	298-017 C	299-020 C
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

LENTICULAR			
Shape ISO#			304
			
Head Diameter (1/10mm)			016
Head Length (mm)			0.5
Overall Length (mm)			19.0
Grit Size	Super-fine	SF	
	Fine	F	304-016 F
	Medium	M	304-016 M
	Coarse	C	
	Super-coarse	SC	

INTERPROXIMAL			
Shape ISO#			465
			
Head Diameter (1/10mm)			016
Head Length (mm)			5.0
Overall Length (mm)			19.0
Grit Size	Super-fine	SF	
	Fine	F	465-016 F
	Medium	M	465-016 M
	Coarse	C	
	Super-coarse	SC	

Sharp. Smooth. Long-lasting.

POINTED FLAME			
Shape ISO#			496
			
Head Diameter (1/10mm)			012
Head Length (mm)			8.0
Overall Length (mm)			22.0
Grit Size	Super-fine	SF	
	Fine	F	
	Medium	M	496-012 M
	Coarse	C	496-012 C
	Super-coarse	SC	

CYLINDER, Guide Pin			
Shape ISO#		508C	
			
Head Diameter (1/10mm)		018	
Head Length (mm)		8.0	
Overall Length (mm)		22.0	
Grit Size	Super-fine	SF	
	Fine	F	508C-018 F
	Medium	M	508C-018 M
	Coarse	C	
	Super-coarse	SC	


Sharp. Smooth. Long-lasting.

TAPER, Guide Pin			
Shape ISO#			508T
			
Head Diameter (1/10mm)			021
Head Length (mm)			9.0
Overall Length (mm)			23.0
Grit Size	Super-fine	SF	
	Fine	F	508T-021 F
	Medium	M	508T-021 M
	Coarse	C	
	Super-coarse	SC	

CYLINDER, Gross Reduction			
Shape ISO#		513	
			
Head Diameter (1/10mm)		017	
Head Length (mm)		8.0	
Overall Length (mm)		22.0	
Grit Size	Super-fine	SF	
	Fine	F	
	Medium	M	513-017 M
	Coarse	C	513-017 C
	Super-coarse	SC	

Sharp. Smooth. Long-lasting.

TAPER, Gross Reduction			
Shape ISO#			519
			
Head Diameter (1/10mm)			017
Head Length (mm)			8.0
Overall Length (mm)			22.0
Grit Size	Super-fine	SF	
	Fine	F	
	Medium	M	519-017 M
	Coarse	C	519-017 C
	Super-coarse	SC	

FLAME NEEDLE, Short Head			
Shape ISO#		539	
			
Head Diameter (1/10mm)		009	
Head Length (mm)		3.0	
Overall Length (mm)		19.0	
Grit Size	Super-fine	SF	
	Fine	F	539-009 F
	Medium	M	539-009 M
	Coarse	C	
	Super-coarse	SC	

Sharp. Smooth. Long-lasting.

TAPER, Round Edge					
Shape ISO#		544	545	546	
					
Head Diameter (1/10mm)		016	016	016	
Head Length (mm)		4.0	6.0	8.0	
Overall Length (mm)		19.0	20.0	22.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	544-016 M	545-016 M	546-016 M
	Coarse	C	544-016 C	545-016 C	546-016 C
	Super-coarse	SC			

DEPTH MARKER					
Shape ISO#		552	552		
					
Head Diameter (1/10mm)		016	021		
Head Length (mm)		6.0	6.0		
Overall Length (mm)		20.0	20.0		
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M	552-016 M	552-021 M	
	Coarse	C			
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

ENDO ACCESS Pointed Cone with Rounded Tip					
Shape ISO#		E164		E164	
					
Head Diameter (1/10mm)		010		014	
Head Length (mm)		10.0		10.0	
Overall Length (mm)		23.0		23.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M			
	Coarse	C	E164-010 C	E164-014 C	E164-018 C
	Super-coarse	SC			

ENDO ACCESS Safe End					
Shape ISO#		E165		E165	
					
Head Diameter (1/10mm)		014		014L	
Head Length (mm)		8.0		9.0	
Overall Length (mm)		22.0		25.0	
Grit Size	Super-fine	SF			
	Fine	F			
	Medium	M			
	Coarse	C	E165-014 C	E165-014L C	
	Super-coarse	SC			

Sharp. Smooth. Long-lasting.

Notes

Sharp. Smooth. Long-lasting.

DEWE

DIAMOND DENTAL BURS



Manufacturer

PT Timur Lautan Sukses
Cikarang Pusat, Bekasi
17530 Indonesia
support@dewe.dental